




# CURRENT WATER RESOURCES CONDITIONS IN CENTRAL NEW ENGLAND



WATER RESOURCES DIVISION, U.S. GEOLOGICAL SURVEY  
IN COOPERATION WITH THE STATES OF  
MASSACHUSETTS, NEW HAMPSHIRE, RHODE ISLAND AND VERMONT






# STREAMFLOW AT SELECTED INDEX GAGES

UNSHADED AREA SHOWS RANGE  
BETWEEN HIGHEST AND LOWEST  
MONTHLY MEAN DISCHARGE OF RECORD


CURRENT RECORDS —————

MEDIAN -----


WARE RIVER  
AT INTAKE WORKS NEAR BARRE, MASS. (A)




PAWCATUCK RIVER  
AT WOOD RIVER JUNCTION, R.I. (B)




DOG RIVER  
AT NORTHFIELD FALLS, VT. (C)



PEMIGEWASSET RIVER  
AT PLYMOUTH, N.H. (D)




# GROUND-WATER LEVELS IN SELECTED OBSERVATION WELLS




UNSHADED AREA SHOWS RANGE  
BETWEEN HIGHEST AND LOWEST  
MONTH-END WATER LEVEL

CURRENT RECORDS ————— MEDIAN -----


PITTSFIELD 51, MASS. (A)




WILMINGTON 78, MASS. (B)




WARNER 1, N.H. (C)



GLOVER 1, VT. (D)



COVENTRY 411, R.I. (E)



**SUMMARY OF GROUND-WATER LEVELS**      **APRIL, 1994**      **PROVISIONAL**

WELL	L	START	NET CHANGE		DEPARTURE		WATER LEVEL	
	T	I	IN MONTH	IN ONE	FROM	APRIL	BELOW LAND-	
	O	T RECORD		YEAR	MEDIAN	SURFACE	DATUM	
	P	H		(FEET)	(FEET)	(FEET)	(FEET)	DAY
	O	O						
<b>MASSACHUSETTS</b>								
ACTON 158	T	S	1965	+ 0.56	- 1.52	- 0.86	18.61	26
ANDOVER 462	V	S	1968	- 1.73	+ 3.54	- 1.64	15.72	25
ATTLEBORO 83	V	S	1964	- 0.39	- 0.14	+ 0.12	3.35	20
BARNSTABLE 230	F	S	1957	+ 0.70	+ 0.67	+ 1.02	21.66	20
BARNSTABLE 247	F	S	1962	+ 1.08	+ 0.82	+ 1.44	22.17	20
BECKET 12	T	S	1986	- 2.38	- 0.45	+ 0.33	3.42	25
BILLERICA 363	H	S	1962	- 3.05	- 1.87	+ 0.06	4.22	26
BLANDFORD 9	V	S	1986	- 0.22	+ 0.04	+ 0.27	2.01	25
BOSTON 925	S	R	1960	+ 0.28	- 0.26	+ 0.08	22.86	29
BOURNE 198	F	S	1962	+ 0.75	- 0.12	+ 0.85	31.37	20
BREWSTER 21	F	S	1962	+ 0.53	+ 0.85	- 0.31	9.70	20
BREWSTER 22	F	S	1962	+ 0.72	+ 0.51	+ 0.59	29.69	20
CHATHAM 138	F	S	1962	+ 0.61	+ 0.53	+ 1.04	22.28	20
CHELMSFORD 68	T	S	1939	- 0.82	+ 0.26	+ 1.31	5.62	26
CHELMSFORD 384	T	S	1987	- 0.41	- 0.42	+ 0.56	14.84	26
CHESHIRE 2	H	T	1951	- 0.17	- 0.40	+ 0.32	1.62	25
CHICOPEE 95	T	S	1984	+ 1.92	- 0.01	+ 1.07	20.13	22
COLRAIN 8	V	S	1965	+ 0.60	+ 0.69	+ 0.90	15.70	23
CONCORD 165	T	S	1965	+ 1.40	+ 0.16	+ 1.09	40.40	26
CONCORD 167	T	S	1965	- 0.91	- 1.31	+ 0.16	5.95	26
CUMMINGTON 13	V	S	1986	- 2.29	- 0.73	+ 0.62	2.83	23
DEDHAM 231	S	T	1965	- 1.53	- 0.23	+ 0.67	4.33	21
DEERFIELD 44	V	S	1965	- 0.71	- 0.16	+ 0.01	2.61	23
DOVER 10	T	S	1965	+ 1.18	- 0.41	+ 0.58	31.07	21
DUXBURY 79	V	S	1965	- 0.72	- 0.25	+ 0.37	7.62	21
DUXBURY 80	V	R	1965	- 0.79	- 0.30	+ 0.51	21.02	21
EAST BRIDGEWATER 30	H	T	1958	- 1.29	- 0.52	+ 0.87	4.17	21
EDGARTOWN 52	V	S	1976	+ 0.98	+ 0.88	+ 1.99	16.07	28
FOXBOROUGH 3	T	S	1965	- 0.59	- 0.03	+ 0.17	17.73	20
FREETOWN 23	T	S	1964	- 0.04	- 1.02	+ 0.19	12.68	20
GEOGETOWN 168	V	S	1965	- 1.34	- 0.81	+ 0.06	3.88	25
GRANBY 68	V	S	1954	+ 1.08	+ 0.51	+ 1.41	4.94	22
GRANVILLE 5	T	S	1965	+ 1.40	- 0.18	+ 0.59	31.93	25
GRANVILLE 6	S	S	1965	- 0.51	- 1.12	- 0.34	3.69	25
GREAT BARRINGTON 2	V	T	1951	- 1.83	- 1.41	+ 0.01	7.76	25
HALIFAX 97	V	R	1977	- 0.52	- 0.67	- 0.06	3.50	21
HANSON 76	V	S	1964	- 0.47	- 0.17	- 0.26	4.54	21
HARDWICK 1	T	S	1965	- 0.47	+ 0.89	+ 2.34	10.06	22
HARDWICK 31	T	S	1984	+ 0.17	+ 0.23	+ 0.78	10.08	>> 22
HAVERHILL 23	T	S	1960	+ 0.84	- 1.08	+ 1.13	8.89	25
HAWLEY 8	S	T	1986	+ 0.35	+ 0.09	+ 0.85	2.69	>> 23
LAKEVILLE 14	T	S	1964	+ 0.06	- 0.51	+ 2.17	11.08	20
LEXINGTON 104	V	S	1965	- 0.03	+ 0.43	+ 1.36	1.07	> 26
MASHPEE 29	F	S	1976	+ 0.32	- 0.02	+ 1.38	6.70	20
MIDDLEBOROUGH 82	V	T	1965	- 1.38	- 0.56	+ 1.38	4.13	21
MONTAGUE 5	S	S	1942	- 0.02	- 0.19	+ 0.59	1.46	23
MONTGOMERY 19	S	S	1986	+ 0.56	- 0.09	+ 0.60	0.16	22

WELL	L START T I OF O T RECORD P H O O	NET CHANGE IN MONTH	DEPARTURE IN ONE YEAR	WATER LEVEL BELOW LAND- SURFACE DATUM (FEET)
		(FEET)	(FEET)	DAY
MASSACHUSETTS (CONTINUED)				
NANTUCKET 228	F S 1976	-----	+ 1.51	+ 3.10 21.39 > 28
NEW BEDFORD 116	V S 1964	- 0.60	+ 0.08	+ 0.05 3.87 20
NEWBURY 27	V T 1965	- 0.85	- 0.73	+ 1.54 3.81 25
NORFOLK 27	V S 1965	- 0.84	+ 0.00	+ 0.45 5.45 20
NORTHBRIDGE 54	V S 1984	- 0.36	- 0.33	+ 0.33 3.74 22
NORTON 37	F S 1964	- 0.81	- 0.21	+ 0.78 5.66 20
ORANGE 63	T S 1985	+ 1.20	+ 1.12	+ 1.59 5.31 23
OTIS 7	V S 1965	+ 0.51	- 1.14	+ 0.72 6.50 25
PELHAM 23	S R 1984	+ 0.67	- 0.28	+ 0.09 11.38 23
PELHAM 24	S S 1984	- 0.99	- 0.47	+ 0.34 2.79 23
PETERSHAM 16	S T 1984	- 2.22	- 0.91	+ 4.52 8.13 22
PITTSFIELD 51	V S 1963	+ 1.35	+ 0.44	+ 1.12 13.10 25
PLYMOUTH 22	T S 1956	+ 0.49	+ 0.00	+ 1.02 22.45 21
PLYMOUTH 494	S S 1985	+ 0.61	+ 0.79	+ 1.72 28.93 21
SANDWICH 252	F S 1962	+ 0.24	- 0.49	+ 0.37 46.66 20
SANDWICH 253	F S 1962	+ 0.60	+ 0.86	+ 0.09 49.28 20
SEEKONK 275	V S 1964	- 0.20	+ 0.19	+ 0.71 5.67 20
SHEFFIELD 58	F S 1987	+ 0.94	+ 0.41	+ 0.99 11.78 25
SOUTHBOROUGH 12	H T 1990	- 3.23	- 2.63	----- 4.50 26
SOUTHWICK 95	T S 1986	+ 1.45	- 0.05	+ 0.67 1.41 25
STERLING 1	S T 1947	- 0.04	+ 0.06	+ 0.22 2.87 22
SUNDERLAND 7	S S 1957	+ 0.25	+ 0.79	+ 1.28 8.58 23
SUNDERLAND 68	V S 1983	+ 0.90	- 0.21	+ 0.44 1.84 23
TAUNTON 337	T S 1964	- 0.52	- 0.11	+ 0.79 7.52 20
TEMPLETON 3	V S 1957	- 0.44	- 0.27	+ 0.24 3.09 22
TOPSFIELD 1	H T 1936	- 3.06	- 1.45	+ 0.19 9.20 25
TOWNSEND 13	T S 1965	+ 1.47	-----	+ 0.49 11.68 26
TRURO 1	T S 1950	- 0.31	- 0.47	+ 0.24 10.26 20
TRURO 89	T S 1962	- 0.14	- 0.08	+ 0.57 11.07 20
WAKEFIELD 38	F S 1965	- 1.07	- 0.75	+ 0.09 5.97 26
WARE 43	V S 1965	+ 0.99	- 0.60	+ 1.30 7.50 22
WAREHAM 51	T S 1959	+ 0.37	+ 0.43	+ 0.11 6.15 20
WAYLAND 2	T S 1965	- 0.30	- 0.60	+ 0.24 15.14 26
WEBSTER 1	H S 1958	- 0.29	- 0.91	- 0.16 13.22 22
WELLFLEET 17	V S 1962	+ 0.45	+ 0.65	+ 1.05 8.61 20
WENHAM 76	V S 1965	- 1.41	- 0.53	+ 0.15 2.16 25
WEST BROOKFIELD 2	T S 1959	+ 0.58	+ 0.07	+ 0.84 18.02 22
WEST BROOKFIELD 10	S T 1970	- 0.69	+ 0.81	+ 0.59 2.01 22
WESTHAMPTON 20	S S 1986	+ 6.90	+ 0.27	+ 4.91 5.35 > 23
WESTFIELD 62	S S 1957	+ 1.17	+ 0.40	+ 1.17 4.63 22
WESTFIELD 152	T S 1986	- 0.12	+ 0.16	+ 0.16 3.17 22
WEYMOUTH 2	F T 1965	- 1.95	- 1.12	+ 0.82 7.21 21
WEYMOUTH 3	V S 1965	- 1.10	- 0.64	- 0.04 4.68 21
WEYMOUTH 4	T S 1965	- 1.26	- 0.73	+ 0.35 6.05 21
WILBRAHAM 55	T S 1965	+ 5.92	+ 0.04	+ 5.09 30.79 > 22
WILMINGTON 78	F S 1951	- 0.96	- 0.92	+ 0.40 6.33 26
WINCHENDON 13	S T 1939	-----	-----	-----
WINCHESTER 14	S T 1940	- 3.51	- 1.06	+ 0.14 8.86 26
WORCESTER 274	T S 1965	- 0.88	- 0.10	- 0.15 23.50 22

WELL	L START T I OF O T RECORD P H O O	NET CHANGE IN MONTH YEAR	DEPARTURE FROM APRIL MEDIAN (FEET)	WATER LEVEL BELOW LAND- SURFACE DATUM (FEET)	DAY
NEW HAMPSHIRE					
CONCORD 2	T S 1963	+ 0.71	- 0.25	- 2.97	43.34
CONCORD 4	F S 1966	+ 1.58	+ 0.62	- 0.57	16.71
ERROL 1	V S 1966	+ 2.4	+ 0.8	+ 0.6	10.9
FRANKLIN 1	V S 1966	+ 3.39	+ 1.68	- 1.02	11.80
HOOKSETT 5	T R 1965	+ 1.52	+ 1.35	+ 0.55	45.56
KEENE 2	V S 1963	-----	-----	-----	-----
LANCASTER 1	V S 1966	+ 0.40	+ 0.28	+ 0.57	0.00
LEE 1	F S 1953	- 1.08	- 0.48	- 0.02	30.68
MILFORD 36	V S 1962	- 0.27	- 0.63	+ 0.95	6.53
NASHUA 218	T S 1964	+ 0.37	- 0.98	- 0.42	27.70
NEW LONDON 1	S T 1947	+ 3.26	+ 0.21	+ 0.81	3.67
WARNER 1	T S 1965	+ 2.52	+ 0.62	+ 0.20	28.44
RHODE ISLAND					
BURRILLVILLE 187	T S 1968	+ 0.21	- 0.07	- 0.63	14.31
BURRILLVILLE 395	U T 1992	- 1.06	- 0.39	-----	6.10
BURRILLVILLE 396	V T 1992	- 1.84	- 0.40	-----	5.16
BURRILLVILLE 397	H T 1992	- 3.11	- 0.98	-----	10.11
BURRILLVILLE 398	H T 1992	- 4.33	- 1.10	-----	6.98
CHARLESTOWN 18	F S 1946	+ 0.99	- 0.31	+ 2.03	14.09
CHARLESTOWN 586	V T 1992	- 1.03	+ 0.01	-----	3.69 >
CHARLESTOWN 587	S T 1992	- 3.62	- 0.20	-----	6.42
COVENTRY 342	V S 1991	- 0.89	- 0.09	+ 0.63	7.20
COVENTRY 411	S S 1961	- 0.27	- 0.54	+ 0.03	20.21
COVENTRY 466	V T 1992	- 0.38	- 0.07	-----	2.43
CANSTON CITY 439	S T 1992	- 3.41	- 1.46	-----	8.18
CUMBERLAND 265	S S 1946	- 1.63	- 0.03	+ 0.88	11.17
EXETER 6	V S 1948	- 0.88	- 0.56	+ 0.66	4.28
EXETER 158	S T 1991	- 1.85	- 0.09	+ 0.66	5.70
EXETER 238	F T 1991	- 0.99	- 0.27	- 0.03	11.56
EXETER 278	H T 1991	- 1.79	+ 0.98	+ 1.49	6.79
EXETER 475	V S 1981	+ 0.27	+ 0.10	+ 1.42	11.88
EXETER 554	S S 1988	- 0.36	- 0.35	- 0.15	9.15
FOSTER 40	H T 1991	- 1.47	- 0.99	- 0.54	4.00
FOSTER 290	H T 1992	- 2.28	- 0.65	-----	4.64
HOPKINTON 67	S T 1991	- 1.04	+ 0.35	+ 1.43	11.50
LINCOLN 84	V S 1946	- 2.69	- 1.13	- 0.34	4.78
LITTLE COMPTON 142	S T 1992	- 3.00	- 0.12	-----	9.76
NEW SHOREHAM 258	U T 1991	-----	-----	-----	-----
NORTH KINGSTOWN 255	V S 1954	- 0.88	- 0.91	+ 0.10	7.10
NORTH SMITHFIELD 21	T S 1947	- 2.03	+ 0.30	+ 0.46	6.08
PAWTUCKET 136	T S 1962	- 0.11	- 0.61	+ 0.64	3.14
PORTSMOUTH 551	H T 1992	- 4.82	- 0.34	-----	32.53
PROVIDENCE 48	T S 1944	- 0.07	- 0.58	+ 2.64	3.73
RICHMOND 417	V S 1976	- 0.71	- 0.11	+ 0.11	6.00
RICHMOND 600	T S 1977	+ 0.04	- 0.06	+ 0.46	32.67
RICHMOND 785	F S 1989	+ 0.94	- 2.04	-----	22.96
SOUTH KINGSTOWN 6	V S 1955	+ 0.03	- 0.76	+ 0.86	10.20
SOUTH KINGSTOWN 515	U S 1955	- 0.20	- 0.25	+ 0.30	25.72
TIVERTON 274	T T 1990	- 1.52	+ 7.05	-----	2.00
WARWICK 59	S T 1991	- 0.55	- 0.23	+ 0.06	4.75
WESTERLY 522	F S 1969	- 0.21	- 0.10	- 0.08	11.33
WEST GREENWICH 181	U S 1969	- 1.37	- 0.01	+ 0.41	14.83
WEST GREENWICH 206	S T 1991	- 0.32	- 0.13	+ 0.15	3.70

WELL	L	START	NET CHANGE		DEPARTURE		WATER	LEVEL
	T	I	OF	IN MONTH	IN ONE	FROM	BELOW LAND-	
	O	T	RECORD		YEAR	APRIL	SURFACE	
	P	H				MEDIAN	DATUM	
O	O		(FEET)	(FEET)	(FEET)	(FEET)	DAY	

VERMONT

BERKSHIRE 1	V	S	1966	+	1.71	-	0.57	+	0.96	11.12	26
BRIGHTON 1	V	S	1966	+	2.27	+	0.22	+	1.20	1.68	>> 21
CHESTER 1	V	S	1966	+	1.32	-	0.18	+	0.74	2.80	21
GLOVER 1	T	S	1966	+	1.52	-	0.94	-	0.93	16.02	26
HARTLAND 54	V	S	1969	+	1.41	-	0.93	-	0.41	7.76	22
MILTON 3	T	S	1956	+	1.24	-	4.76	-	4.49	33.94	26
MONTPELIER 2	V	S	1966	+	4.30	+	0.97	+	1.82	11.28	28
MORRISTOWN 1	S	S	1966	+	0.48	-	1.11	-	1.61	18.88	26
PITTSFORD 8	T	S	1957	+	0.48	-	0.20	-	0.09	36.22	22
POWNAL 1	V	S	1964	+	1.23	-	1.18	+	1.47	11.27	23
ROCHESTER 1	V	S	1966	+	2.17	-	0.56	-	0.86	8.74	22
WAITSFIELD 2	V	S	1975	+	1.96	-	0.03	+	1.03	4.67	22
WAITSFIELD 3	V	S	1975	+	2.00	+	0.02	+	0.88	4.51	> 22
WEST FAIRLEE 1	T	S	1966	+	1.25	-	2.19	-	0.64	2.72	22

---

> SET NEW HIGH OR EQUALLED HIGHEST RECORDED WATER LEVEL FOR END OF APRIL  
 >> SET NEW HIGH OR EQUALLED HIGHEST RECORDED WATER LEVEL FOR PERIOD OF RECORD  
 < SET NEW LOW OR EQUALLED LOWEST RECORDED WATER LEVEL FOR END OF APRIL  
 << SET NEW LOW OR EQUALLED LOWEST RECORDED WATER LEVEL FOR PERIOD OF RECORD  
 -- DATA NOT AVAILABLE

TOPOGRAPHIC (TOPO) SETTING: F=FLAT, H=HILLTOP, S=HILLSIDE, T=TERRACE,

U=UNDULATING, V=VALLEY, W=UPLAND DRAW

LITHOLOGY (LITHO): G=GRAVEL, R=ROCK, S=SAND, T=TILL

---

CONTENTS OF MAJOR RESERVOIRS (ESTIMATED END OF MONTH READINGS)  
(MILLIONS OF CUBIC FEET)

RESERVOIR	MONTH-END CONTENTS	% AVERAGE	% FULL
FIRST CONNECTICUT LAKE, NH	1786	100	54
LAKE FRANCIS, NH	4117	161	95
LAKE WINNIPESAUKEE, NH	7280	104	101
SOMERSET RESERVOIR, VT	2420	128	97
HARRIMAN RESERVOIR, VT	4405	110	87
BORDEN BROOK + COBBLE MTN RES., MA	3032	101	89
QUABBIN RESERVOIR, MA	54584	---	99
SCITUATE RESERVOIR, RI	5146	110	105

---

A MONTHLY REPORT PREPARED BY THE  
U.S. GEOLOGICAL SURVEY, WATER RESOURCES DIVISION  
28 LORD ROAD, SUITE 280, MARLBOROUGH, MA 01752

IN COOPERATION WITH THE STATES OF  
MASSACHUSETTS, NEW HAMPSHIRE, RHODE ISLAND, AND VERMONT